M. H. RAZAVI, M. D., F.A.C.P., F.A.C.G., A.G.A.F., F.A.S.G.E 703-497-4222

MOVI PREP

Day Before Test

In the AM day before test, mix the MoviPrep solution and refrigerate

- Empty 1 pouch A and 1 pouch B into the container with lukewarm water. Cap bottle mix until dissolved.

Start a clear liquid diet at lunch the day before your exam (no solid food, no milk).

Clear Liquids Diet List

Soft drinks (orange, ginger ale, cola, sprite, 7up, Gatorade, Kool Aid avoid red colors) Strained fruit juices, NO PULP Water, tea, coffee (no milk or non-dairy creamer, you may use sugar or honey) Low sodium chicken or beef bouillon or broth Hard candies, Jell-o or Popsicle's (avoid red colors)

At 5:30PM the day before test.

Drink MoviPrep solution you prepared earlier

The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8oz), until the full liter is complete. (Approximately 1 hour) Continue to drink clear liquids until bedtime.

8:00 pm the day before test, mix the 2nd dose of MoviPrep and refrigerate.

AT 11 pm the night before test or 7 hours prior to your scheduled colonoscopy time.

Begin drinking the solution for a second time.

MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz), until the full liter is complete. (Approximately 1 hour)

Day of Test

Do not eat or drink anything until after your test; take your regular medications with a sip of water.		
Appointment Date	e:	
Location:	OFFICE	

NOTHING TO <u>EAT OR DRINK 6 HOURS</u> PRIOR TO PROCEDURE (THIS INCLUDES WATER & PREP SOLUTION)

YOU MUST HAVE SOMEONE DRIVE YOU HOME FROM PROCEDURE!

There is a \$250 fee if a 3-business day is not provided when rescheduling or canceling procedures

(This is not payable by your insurance)